OHSI

IoT Lock

1507







Application Management Platform


Ethernet Transport Control **Access Unit Wired Access Unit Wireless** Terminal Magnetic switch Magnetic switch

IoT lock

IoT lock









Part No: T-ICK1507-02 (13.56Mhz)

Zinc die handle; PA housing; M.S. zinc plated cam Rated voltage: DC12V or 5V(on request); Rated current: ≤80mA









- 1. The cam needs to be ordered seperately, with non-stopper cam
- 2.For IC card version, card needs to be
- 3.The lock includes 2M wire
- 4. Suitable for indoor, esp for data center

Note: For more details, Please contact our sales representative





IoT Lock Model Selection Description

No.	Part Number	Photo	Access Ways
1	1507-126-20		Mechanical key+Remote Control
2	1507-1216-20		Mechanical key+Remote Control+Keypad Password
3	1507-1226-20		Mechanical key+Remote Control+IC card
4	1507-1236-20		Mechanical key+Remote Control +Bluetooch(QR code scan)
5	1507-1246-20		Mechanical key+Remote Control+Finger Print
6	1507-12126-20	Company of the Compan	Mechanical key+Remote Control+Keypad Password+IC card

No.	Part Number	Photo	Access Ways
7	1507-12146-20		Mechanical key+Remote Control+Password+ Fingerprint
8	1507-12246-20		Mechanical key+Remote Control+IC card+ Fingerprint
9	1507-121246-20	1 . L	Mechanical key+Remote Control+Password+ IC card+Fingerprint

Product Description

No.	ltem	Parameter
1	Dimensions	235mmX37mmX20mm
2	Working voltage	12V DC
3	Rated current	30mA
4	Working current	≤80mA
5	IP rating	IP40
6	Access ways	Mechanical key+Remote control+Password(optional)+IC card (optional)+Fingerprint(optional)
7	Communication method	Rs485, Wiegand(optional)
8	Storage capacity	Password: 200 combinations, Card: 200 combinations, Fingerprint: 99 combinations
9	Material & Finish	Black PA body, zinc alloy handle, black textured powder coated

Note: For more details, Please contact our sales representative

Note: For more details, Please contact our sales representative



IoT Lock

1509

1518


IoT Lock
















- 1.For IC card version, card needs to be ordered separately
- 2.The lock includes 0.5 meter wire
- 3.Controllable two-way magnetic lock
- 4. Suitable for indoor, esp for data center


Note: For more details, Please contact our sales representative





Access ways	Part Number
Remote Control+Keypad password+IC card	1509-126-20.SC
Remote Control+Keypad password+Fingerprint	1509-146-20.SC
Remote Control+Keypad password+IC card+Fingerprint	1509-1246-20.SC





Access ways	Part Number
Mechanical key+Remote Control+IC card	1518-3226-20
Mechanical key+Remote Control+IC card+Biuetooth(QR code scan)	1518-32236-20









Note:

- The cam needs to be ordered seperately, with non-stopper cam
- 2.For IC card version, card needs to be ordered separately
- 3.The lock includes 2M wire
- 4.Outdoor version, suitable for outdoor cabinets

Note: For more details, Please contact our sales representative